EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	367	(74/473.21).ccls.	US-PGPUB; USPAT	OR	ON	2007/11/29 06:57
S2	42	(74/473.27).ccls.	US-PGPUB; USPAT	OR	ON	2007/11/29 13:05
S3	113	(74/473.28).ccls.	US-PGPUB; USPAT	OR	ON	2007/11/29 15:40
S4	176	(74/473.36).ccls.	US-PGPUB; USPAT	OR	ON	2007/12/03 07:28
S5	1672	(74/527).ccls.	US-PGPUB; USPAT	OR	ON	2007/12/03 08:07
S6	193	(74/530).ccls.	US-PGPUB; USPAT	OR	ON	2007/12/03 08:07
S7	360	(74/532).ccls.	US-PGPUB; USPAT	OR	ON	2007/12/03 08:18
S8	33	("2323859" | "2401741" | "2955483" | "3181390" | "3315959" | "3858012" | "3871244" | "3921955" | "3943792" | "3972249" | "4074100" | "4081643" | "4132128" | "4222474" | "4245137" | "4267744" | "4452098" | "4567786" | "4575592" | "4622861" | "4949591" | "5052883" | "5189924" | "5261290" | "5377555").PN. OR ("5537892").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 08:51
S9	68823	(shaft OR selector OR rod) AND (axial$4 AND rotat$4) AND cylinder AND (spring OR bias$4) AND groove	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 10:30
S10	1066	(shaft OR selector OR rod) AND (axial$4 AND rotat$4) AND (spring OR bias$4) AND cylinder NEAR groove	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 10:32

S11	199	(shaft OR selector OR rod) AND (axial$4 AND rotat$4) AND (spring OR bias$4) AND cylinder NEAR groove AND transmission	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 10:32
S12	150	((shaft OR selector OR rod) SAME (axial$4 AND rotat$4)) AND (spring OR bias$4) AND (cylinder NEAR groove) AND transmission	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 10:34
S13	1	((shaft OR selector OR rod) SAME (axial$4 AND rotat$4)) AND (spring OR bias$4) AND (cylinder NEAR groove) AND transmission	EPO; JPO; DERWENT	OR	ON	2007/12/03 10:39
S14	2	((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND (spring OR bias$4) AND (cylinder NEAR groove) AND transmission	EPO; JPO; DERWENT	OR	ON	2007/12/03 10:41
S15	274	((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND (spring OR bias$4) AND (cylinder NEAR groove) AND transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 10:42
S16	7	(((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND (spring OR bias$4) AND (cylinder NEAR groove) AND transmission).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 10:52
S17	12000	((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND spring AND (cylinder SAME groove) AND transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 10:58
S18	66	((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND spring AND (cylinder SAME groove) AND transmission AND shifting.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 10:59

S19	174	((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND spring AND (cylinder SAME groove) AND transmission AND shift $3.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 11:02
S20	67	((shaft OR selector OR rod) SAME (axial$4 WITH rotat$4)) AND spring AND (cylinder SAME groove) AND transmission AND shift $3.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 11:07
S21	8	("20010015109" | "4856360" | "5094115" | "6105448" | "6230576" | "6249734" | "6499371" | "6564133").PN. OR ("7107869").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 11:15
S22	6	("4310081" | "5649452" | "6170353" | "6321612").PN. OR ("6588294").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 11:23
S23	9	("4544212" | "4705491").PN. OR ("5140866").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 11:29
S24	5	("1231655" | "1632123" | "20050261103").PN. OR ("7131928").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 11:55
S25	6	("4848005").PN. OR ("5845538").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/03 12:06
S26	0	(74/473).ccls.	US-PGPUB; USPAT	OR	ON	2007/12/03 12:47
S27	82	(74/473.37).ccls.	US-PGPUB; USPAT	OR	ON	2007/12/03 12:47
S28	57829	((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND spring AND (cylinder SAME groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 13:20
S29	925	(((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND spring AND (cylinder SAME groove)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 13:21

S30	48	(((shaft OR selector OR rod) SAME (axial$4 OR rotat$4)) AND spring AND (cylinder SAME groove)).clm. AND transmission.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/03 13:22
S31	1	"19653171"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/12/07 09:47
S32	4	"10016364"	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/12/07 09:48

12/7/2007 3:25:37 PM
C:\ Documents and Settings\ dfields1\ My Documents\ EAST\ Workspaces\ 10-517994.wsp